

SAFETY DATA SHEET (SDS)

Hazardous according to criteria of NOHSC Australia

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name	AD-TEK HB-T (Cementitious Powder)
Synonyms	
CAS-No.	
Molecular Formula	
Supplier	Ad-Tek Pty Ltd
ACN	
ABN	49 152 312 742
Street Address	12 Frankston Gardens Drive Carrum Downs VIC 3201 Australia
Telephone	+ 613 9782 5348
Facsimile	+ 613 9782 3244
Emergency telephone numbers	Victor Vyrodov 0413 628 820 Shane Cooper 0419 584 320

2. COMPOSITION/INFORMATION ON INGREDIENTS

Recommended use	Shrinkage compensated cementitious grout.
Appearance	Cement grey powder

CHEMICAL ENTITY	CAS NO.	PROPORTION
Portland Cement	65997-15-1	HIGH
Quartz Blend	14808-60-7	HIGH
Amorphous silicon dioxide	69012-64-2	LOW
Non hazardous ingredients		MED
		100%

PROPORTION (% weight per weight)	VHIGH>60 HIGH 30-60 MED 10-29 LOW 1-9 VLOW <1
---	---

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

3. HAZARDS IDENTIFICATION

This material is hazardous according to health criteria of NOHSC Australia.

Hazard Category	
Xi Irritant	Xn Harmful

Risk Phrase(s)	
R36/37/38	Irritating to eyes, respiratory system and skin
R21/22	Harmful in contact with skin and if swallowed

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126; New Zealand 03 474 7000).

Skin contact	Remove contaminated clothes, wash before reuse. Wash skin with plenty of soap and water. If swelling, redness, blistering or irritation occurs seek medical assistance
Eye contact	Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove contact lenses. Urgently seek medical assistance
Ingestion	Immediately rinse mouth with water. Give water to drink. DO NOT INDUCE VOMITING. Seek immediate medical assistance
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media	Product is not combustible, use media appropriate for surrounding fire
----------------------------	--

6. ACCIDENTAL RELEASE MEASURES

Sweep up, but avoid generating dust. Collect and seal in properly labelled drums for re-processing. For disposal refer to state waste management authority.

7. HANDLING AND STORAGE

Handling	Avoid skin and eye contact and inhaling dust.
Storage	Store in a covered, cool and well ventilated area. Keep containers closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protection	The following personal protective equipment should be worn. Safety glasses, goggles or face shield as appropriate. Rubber gloves. Appropriate protective clothing. Suitable respirator. Avoid all contact. Wash contaminated clothing and protective equipment before storing/re-using. Always wash hands before smoking, eating, drinking or using the toilet. Ensure an eye bath and water for washing of skin and rinsing of mouth is available.
Engineering controls	No specific engineering controls required. Use in a well ventilated area. Avoid generating and inhaling dust
Exposure limits	Cement TWA: 10.0 mg/m ³ 8 hours. Quartz (SiO ₂) TWA: 0.1 mg/m ³ 8 hours. Amorphous silicon dioxide TWA: 2.0 mg/m ³ 8 hours

9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour	Cement grey powder with specific odour
Solubility	Low soluble in water
pH	(1:1 aqueous solution): approx. 12
Flammability	Non flammable
Ignition temperature	Not applicable

10. STABILITY AND REACTIVITY

Stability	Chemically stable
Thermal decomposition	No decomposition if stored and handled as prescribed
Incompatible materials	Strong bases and acids
Corrosion to metals	No corrosive effect on metal
Hazardous reactions	The product is stable if stored and handled as prescribed. No hazardous decomposition products if stored and handled as prescribed

11. TOXICOLOGICAL INFORMATION

Inhalation	The dust is harmful and irritating to the upper respiratory tract and lungs. The Material presents a hazard from repeated exposures over long period.
Skin contact	Slight irritant and may cause dermatitis. In the presence of moisture such as perspiration, can dry skin and cause alkali burns
Eye contact	The dust is abrasive and irritating to the eyes and may be capable of causing corneal scarring
Ingestion	Swallowing can result in irritation and burns to mouth and stomach
Chronic exposure	May cause silicosis, a disabling form of pneumoconiosis, which may to lead fibrosis

12. ECOLOGICAL INFORMATION

Avoid contaminating soil and waterways.

13. DISPOSAL CONSIDERATIONS

Product collected from spills should be disposed of at an approved waste facility if reprocessing is not practicable. Observe all federal, state and local regulation .

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

UN No.	None allotted
Class-primary	Powder
Packing group	None allotted
Dangerous Goods Class	None allotted
Hazchem code	None allotted
Proper Shipping Name	AD-TEK HB-T
Segregation Dangerous Goods	Not to be loaded with acid containers

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.	None allotted
Class-primary	Powder
Packing group	None allotted
Dangerous Goods Class	None allotted
Hazchem code	None allotted
Proper Shipping Name	AD-TEK HB-T
Segregation Dangerous Goods	Not to be loaded with acid containers

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No.	None allotted
Class-primary	Powder
Packing group	None allotted
Dangerous Goods Class	None allotted
Hazchem code	None allotted
Proper Shipping Name	AD-TEK HB-T
Segregation Dangerous Goods	Not to be loaded with acid containers

15. REGULATORY INFORMATION

Hazardous according to criteria of NOHSC Australia.

Hazard Category	
Xi Irritant	Xn Harmful

Risk Phrase(s)	
R36/37/38	Irritating to eyes, respiratory system and skin.
R21/22	Harmful in contact with skin and if swallowed

Safety Phrase(s)	
S3	Keep in a cool place
S7/9	Keep container tightly closed in a well ventilated place.
S24/25	Avoid contact with skin and eyes.
S36/37	Wear suitable protective clothing and gloves

This material is not listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION Literary reference

This Material Safety Data Sheet has been prepared by Ad-Tek Pty Ltd from information obtained from MSDS provided by the suppliers of the various chemicals used in this product.

For further information about this product contact:

Victor Vyrodov / Shane Cooper

Phone: 03 9782 5348

Reason(s) for issue: To meet requirements of NOHSC: 2011 (2003)

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace.

Since Ad-Tek Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.